# DOMEDDROBE IM





Made in the U.S.a.

105 Harrison Street, American Falls, Idaho 83211

www.ams-samplers.com ams@ams-samplers.com

Phone: 208-226-2017 | 800-635-7330 Fax: 208-226-7280



## DOWIRD ROB

#### **ENGINE**

Horsepower: 22 hp Fuel type: Gas

Engine RPM Setting: 2,500 RPM Hydraulic flow rate: 10 gpm

Hydraulic oil cooler: 18,000 BTU (single)

Hydraulic oil pressure: 2,100 psi Hydraulic oil capacity: 14 gal

#### **MAST & PROBE**

Down force: 13,000 lb. Pull-up force: 19,250 lb. Head travel rate up: 15 sec Head travel rate down: 12 sec Standard hammer 90 ft-lb Optional hammer: 200 ft-lb Optional auger: 1,000 ft-lb

Probe stroke: 60"

#### **DIMENSIONS**

Mast extended height: 138" Overall height (folded): 87" (67")

Weight: 800 lb. Overall length: 30" Overall width: 30"

#### **Standard Features**

- · Long lasting powder-coated finish
- · Auxiliary hydraulic hook-up
- Anodized metal power track
- Spring-loaded pull yoke
- Enhanced control panel
- One year warranty
- Hydraulic valves
- 2 25" hydraulic quick connect hoses

#### AMS PowerProbe™ 9110-LAP and 9110-PU

The AMS PowerProbe 9110-LAP and 9110-PU are portable direct push rigs, designed for use in confined spaces or buildings where a vehicle-mounted probe cannot go. This model can be driven off any standard AMS Power-Probea with an auxiliary hydraulic hookup kit, or the optional AMS portable hydraulic power unit.



#### AMS PowerProbe Customization

Every rig is custom-built to fit your specific needs!





### CUSTOMER SERVICE

Everyone at AMS is dedicated to exceeding our customers' needs and expectations. From answering questions about availability, use and care, to developing customized products, we're here to help. Call 208-226-2017 or 1-800-635-7330 for more information.



Equipping the World to Sample the Earth