



Geotechnics & Drilling



3.50

UNDERCARRIAGE & FRAME

Rubber track crawler with remote control
4 hydraulic stabilizers (2 articulated)
Pipe rack

POWER PACK

Diesel Yanmar engine 23,SkW
Fuel tank capacity: 28 liters
Battery 12V

ROTARY HEAD

Rotary head with gear box
Air water swivel
Speed: 400rpm - Torque: 220daNm

MAST

Translation by orbit motor and double chain
Pull up 2400daN - Pull down 1500daN
Carrier with adjustable rollers
Manual sideways travel
Mast dump 400mm
Mast locking device in drilling position

CLAMP

Hydraulic clamp opening 170mm
Clamping force 12000daN



Geotechnics & Drilling

I



OPTIONS ET ACCESSOIRES / OPTIONS AND ACCESSORIES

- **Chenillard à voie variable**
Variable width track
- **Treuil hydraulique**
Hydraulic winch
- **Tête de rotopercussion**
Hydraulic drifter

- **Valve de coupure moteur et pare-étincelle**
Engine shut down valve and spark arrestor
- **Pompe à eau**
Water pump

- **Phare de travail**
Work lights
- **Prédisposition pour enregistreur de paramètres**
Fitting for parameters recording
- **Pénétrmètre SPT automatique**
Automatic SPT penetrometer



Weight according to options : 1900 - 2300kg



Geotechnics & Drilling

